

Firestone Test Sheets

Entire Page Redacted

test data refers to
Non-relevant tire.

Firestone Test Sheets

Entire Page Redacted

test data refers to
Non-relevant tire.

WAREHOUSE ORDER

TEST TYPE: DUR
 FORD HIGH SPEED
 PROJECT NO.: 141FL071
 TEST NO.: J41292
 TEST CODE: US
 DATE: 0001-01-01
 SPEC NO.: 279561
 INFL: 30.0 PSI
 INFL: 137 KPA
 BREAKER: 4 VARIOUS
 TIRE DESCRIPTION: MILDERNESS AT
 GENERAL FEATURES:
 USE DASH NO.:
 SOURCE: TRA
 REMARKS: '79561J' WRITTEN ON SOULIGHT MUST HAVE BY WED(9/25) AM; MILD.

NON STD TEST: Y
 NEED BY: 1999-06-25
 SIZE: P255/70R16 S
 REV TIME: 00:00:00
 DESIGN NO.: 3041
 LOAD: 2331.0 LBS.
 LOAD: 10161.0 NBT
 DUR: 10 MIN

DATE: 1999-05-28
 SERIAL:
 SPEED RATING: S
 OE CONST NO:
 RIM: 7.00
 NO. OF TIRES: 1
 AMBIENT TEMP: 100°F - 5 F

PRIORITY

GOAL/MAX SPEED: 106.00

CUSTOMER: FORD

WHEEL MATERIAL:

VNCA 160277

REQUESTOR: TSOLDS

ENGINEER: QUEISER

PHONE: 6822

MACHINE: INSP. RACKS

STATION:

3-70 20170

REMARKS:

DATE COMPLETE: YR - MO - DA OPERATOR:

STEP NO	LOAD LB	LOAD NBT	INFL PSI	INFL KPA	STEP SPEED	CAP/REG	STEP DUR	DUR UNIT	STEP REF LOAD	STEP REF INFL
1	1651	7340	30.0	206.8	14.00		2.00	MIN	2271	26.0
2	1651	7340	30.0	206.8	27.00		2.00	MIN	2271	26.0
3	1651	7340	30.0	206.8	41.00		2.00	MIN	2271	26.0
4	1651	7340	30.0	206.8	54.00		2.00	MIN	2271	26.0
5	1651	7340	30.0	206.8	67.00		2.00	MIN	2271	26.0
6	1651	7340	30.0	206.8	81.00		10.00	MIN	2271	26.0
7	1651	7340	30.0	206.8	94.00		10.00	MIN	2271	26.0
8	1651	7340	30.0	206.8	94.00		10.00	MIN	2271	26.0
9	1651	7340	30.0	206.8	106.00		10.00	MIN	2271	26.0
10	1651	7340	30.0	206.8	106.00		10.00	MIN	2271	26.0
11	1651	7340	30.0	206.8	112.00		10.00	MIN	2271	26.0
12	1651	7340	30.0	206.8	113.00		10.00	MIN	2271	26.0
13	1651	7340	30.0	206.8	125.00		10.00	MIN	2271	26.0
14	1651	7340	30.0	206.8	131.00		10.00	MIN	2271	26.0
15	1651	7340	30.0	206.8	137.00		10.00	MIN	2271	26.0
16	1651	7340	30.0	206.8	143.00		10.00	MIN	2271	26.0
17	1651	7340	30.0	206.8	149.00		10.00	MIN	2271	26.0
18	1651	7340	30.0	206.8	156.00		10.00	MIN	2271	26.0
19	1651	7340	30.0	206.8	162.00		10.00	MIN	2271	26.0
20	1651	7340	30.0	206.8	168.00		10.00	MIN	2271	26.0

FLEX BREAK.