



# Generic Drug Labeling

A report on serious warnings added to approved drugs and on generic drugs marketed without a brand-name equivalent

### **About Public Citizen**

Public Citizen is a national non-profit organization with more than 300,000 members and supporters. We represent consumer interests through lobbying, litigation, administrative advocacy, research, and public education on a broad range of issues including consumer rights in the marketplace, product safety, financial regulation, worker safety, safe and affordable health care, campaign finance reform and government ethics, fair trade, climate change, and corporate and government accountability.



Public Citizen  
215 Pennsylvania Avenue SE  
Washington, DC 20003  
P: 202-546-4996  
<http://www.citizen.org>

© 2013 Public Citizen

## Executive Summary

Federal law designed to make it easier for generic drugs to gain marketing approval has been hugely successful. Today, the majority of prescriptions filled in the United States are filled with generic drugs, making prescription drugs more affordable for patients.

Although the generic equivalent of a prescription drug cannot enter the market until several years after the brand-name drug is approved for marketing, serious safety hazards often are not identified until a product has been used for many years, including after generic market entry. Reviewing the period January 2008 to March 2013, we identified 53 drugs for which a black-box warning calling attention to serious or life-threatening risks was added after generic market entry—and the list is likely incomplete. The data show that new safety issues commonly arise after generics have entered the market, and underscore the public health imperative of maintaining an incentive for generic manufacturer surveillance of safety concerns.

Moreover, competition from generics frequently leads the brand-name manufacturer to cease production of the brand-name drug. For those drugs, patients and physicians cannot rely on the brand-name manufacturer to monitor reports of adverse effects and update the labeling. Based on the *Orange Book*, a publication of the Food and Drug Administration that lists all drugs approved on the basis of safety and effectiveness, we compiled a list of hundreds of drugs for which only generic versions are currently sold. If manufacturers are correct that, even after the brand-name manufacturer has withdrawn its product from the market, not even the leading generic manufacturer can revise labeling except as directed by the FDA, then no manufacturer is responsible for ensuring the adequacy of labeling for these drugs.

In sum, new serious risks to patients are sometimes identified years after a drug enters the market, making a drug's longevity no guarantee of safety, and hundreds of generic drugs are sold without a currently marketed brand-name equivalent. These facts make generic drug manufacturers' inability under current regulations to update the labeling of their products a threat to the safety of prescription drugs, creating unnecessary risks to patients.

## Introduction

In the years since passage of the Drug Price Competition and Patent Term Restoration Act of 1984,<sup>1</sup> commonly referred to as the Hatch-Waxman Amendments, sales of generic drugs have grown dramatically, fundamentally reshaping the pharmaceutical market. The increased availability of generic drugs has made many prescription drugs more affordable for patients.<sup>2</sup> In 2011, nearly 80 percent of prescriptions filled in the United States were filled with generic drugs.<sup>3</sup> And because generic drugs are less expensive, when consumers have the option to choose a generic or a brand-name drug, they select generic drugs as much as 94 percent of the time.<sup>4</sup>

Although generics dominate the market for prescription drugs, the regulatory system imposes labeling restrictions on generic drug manufacturers that do not exist for brand-name manufacturers. Specifically, current U.S. Food and Drug Administration (“FDA”) regulations do not permit a generic drug manufacturer to alter its product’s labeling, except to mimic a change made by the brand-name equivalent or ordered by the FDA. This restriction creates a safety gap for patients because manufacturers with a large stake, even the largest stake, in the product have no responsibility for the adequacy of its labeling. The gap becomes even more troubling after the brand-name manufacturer stops selling the drug, as often happens within a few years after generics enter the market.

In addition, in light of the generic manufacturer’s lack of responsibility for product labeling, a patient injured because a generic manufacturer failed to warn of a serious risk or provided unclear or misleading instructions for use is unable to seek compensation from the manufacturer.<sup>5</sup> This release from liability diminishes the incentive to be vigilant about product hazards and eliminates the incentive to request labeling changes in response to new evidence.

Although the generic equivalent of a prescription drug cannot enter the market until the patent on the originator product and marketing exclusivities have expired, serious safety hazards often are not identified until a product has been used for many years, including after generic market entry. Indeed, in some instances, safety warnings have been added to drugs more than 50 years after the products came to market. Moreover, competition from generics frequently leads the brand-name manufacturer to cease production of the brand-

---

<sup>1</sup> Pub. L. No. 98-417, 98 Stat. 1585.

<sup>2</sup> Generic Pharmaceutical Ass’n, *Savings Achieved Through the Use of Generic Pharmaceuticals 2000-2009* (2010).

<sup>3</sup> Generic Pharmaceutical Ass’n, *Generic Drug Savings in the U.S.* at 2 (4<sup>th</sup> ed. 2012), at <http://bit.ly/11rkpz4>.

<sup>4</sup> *Ibid.*

<sup>5</sup> *PLIVA, Inc. v. Mensing*, 131 S. Ct. 2567 (2011).

name drug. For those drugs, patients and physicians plainly cannot rely on the brand-name manufacturer to monitor reports of adverse effects and update the labeling.

Although these two points—late-discovered safety hazards and drugs sold only in generic form—have been cited in discussions about the wisdom of the FDA restrictions, specific information had not been compiled. This report attempts to provide that information.

## Labeling Changes To Approved Drugs

When the FDA approves a drug for marketing, it approves the drug's labeling as well.<sup>6</sup> Even after approval, however, FDA regulations require drug labeling to include up-to-date information about hazards associated with a particular drug.<sup>7</sup> Brand-name manufacturers may seek approval for revised labeling in one of two ways: the “changes-being-effected” (CBE) and “prior-approval supplement” (PAS) processes.

The CBE process allows brand-name drug manufacturers to make certain changes to labeling with concurrent notice to the FDA, including changes to strengthen warnings or contraindications and to clarify instructions for use.<sup>8</sup>

The PAS process is used for significant changes to the product, the production process, quality controls, or other aspects of manufacturing that have “a substantial potential to have an adverse effect on the identity, strength, quality, purity, or potency of the drug product as these factors may relate to the safety or effectiveness of the product.”<sup>9</sup> Any such change requires FDA approval prior to distribution of the product.<sup>10</sup>

Brand-name manufacturers can also inform doctors and other health care professionals about newly discovered safety concerns by sending “Dear Health Care Professional” letters, which are considered part of drug labeling under federal regulations.<sup>11</sup>

*None of these options for revising labeling are available to generic manufacturers, according to current FDA regulations. Instead, generics can revise labeling only to mimic a change made by the brand-name manufacturer or as directed by the FDA.*<sup>12</sup>

---

<sup>6</sup> “Labeling” includes the label itself and all other written or graphic material on or accompanying the product. 21 U.S.C. § 201(m).

<sup>7</sup> 21 C.F.R. § 201.59.

<sup>8</sup> 21 C.F.R. § 314.70(c)(6)(iii).

<sup>9</sup> 21 C.F.R. § 314.70(b).

<sup>10</sup> *Ibid.*

<sup>11</sup> 21 U.S.C. § 321(m); 21 C.F.R. § 202.1(l)(2).

<sup>12</sup> In some instances, after the brand-name drug manufacturer stops selling the drug for reasons other than safety and effectiveness, the FDA will designate a generic version of the drug (usually the market leader) as the “reference listed drug” (RLD), making that generic drug the standard for bioequivalence and labeling to which other generics seeking to enter the market are compared. 21 C.F.R. § 314.3; 57 Fed. Reg. 17950, 17958

## Serious Warnings Added After Generics Enter Market

Inadequacies in a drug's labeling, including safety issues, often do not emerge until after the drug has been on the market for a significant period of time. As one study found, "only half of newly discovered serious [adverse drug reactions] are detected and documented in the *Physician's Desk Reference* within 7 years after drug approval."<sup>13</sup>

For especially serious risks, particularly those that may lead to death or serious injury, the FDA may require that the information be presented in a box.<sup>14</sup> A boxed warning, sometimes called a black box warning, is reserved for the most serious contraindications and warnings.

The following examples illustrate the severe risks set forth in boxed warnings that were added many years after approval of a drug and introduction of a generic equivalent onto the market:

- Promethazine hydrochloride, originally marketed under the brand name Phenergan, was approved by the FDA in tablet form in 1951, in injectable form in 1956, and in suppository form in 1960.<sup>15</sup> It is approved for several indications, including to treat motion sickness, nausea, and some allergy symptoms. In 2000, the warning was strengthened to recommend against use in children younger than two years old, and in 2004, the FDA required a boxed warning instructing against the use of the drug in pediatric patients under 2 years old.<sup>16</sup> The boxed warning was added after the brand-name manufacturer reported cases of respiratory depression, including fatalities, in children under 2.<sup>17</sup> Phenergan was later discontinued but generic versions of promethazine are still available.<sup>18</sup> In 2009, the FDA required an additional boxed warning for injectable promethazine hydrochloride due to the risk of gangrene if the drug enters an artery.<sup>19</sup>

---

(1992). FDA guidance and regulations do not directly address whether a generic RLD may use the CBE and PAS processes.

<sup>13</sup> Karen E. Lasser, et al., *Timing of New Black Box Warnings and Withdrawals for Prescription Medications*, 287 *Journal of the American Medical Association* 2215, 2218 (2002).

<sup>14</sup> 21 C.F.R. § 201.57.

<sup>15</sup> FDA, Drugs@FDA, Phenergan, at <http://1.usa.gov/15j0qTr>.

<sup>16</sup> FDA, Drugs@FDA, Phenergan, at <http://1.usa.gov/120IfEt>; FDA, Drugs@FDA, Promethazine Hydrochloride, Label as approved on 11/08/2004, at <http://1.usa.gov/1560QPt>.

<sup>17</sup> FDA, Drugs@FDA, Promethazine Hydrochloride (ANDA # 004372), Label and Approval History, at <http://1.usa.gov/11z19gS> (2000 label).

<sup>18</sup> FDA, Drugs@FDA, Phenergan Therapeutic Equivalents, at <http://1.usa.gov/120IJKY>.

<sup>19</sup> FDA, Information for Healthcare Professionals - Intravenous Promethazine and Severe Tissue Injury, Including Gangrene (Sept. 16, 2009), at <http://1.usa.gov/vGII7>.

- Metoclopramide hydrochloride, sold under the brand name Reglan and other names, was approved to treat gastrointestinal issues in three dosage forms: an injectable formulation approved in 1979, a tablet approved in 1980, and an oral solution approved in 1983.<sup>20</sup> The drug received its first black box warning in 2009, 30 years after its first approval, after doctors discovered that its use could cause tardive dyskinesia in certain patients.<sup>21</sup> Tardive dyskinesia is a serious, often irreversible movement disorder that causes involuntary, repetitive movements of the extremities, as well as lip smacking, grimacing, tongue protrusion, and other uncontrollable facial movements.<sup>22</sup> When the FDA announced the warning in 2009, the agency estimated that more than 2 million Americans were taking products that contained metoclopramide hydrochloride.<sup>23</sup>
- Propoxyphene hydrochloride, sold under the brand name Darvon or Darvocet, was approved by the FDA in 1957. In 2007 alone, more than 21 million prescriptions were filled for the generic combination of propoxyphene and acetaminophen, making it one of the most widely distributed generic pharmaceuticals in the United States.<sup>24</sup> In 2009, the FDA announced that additional labeling was needed to reduce the risk of overdose in people who use propoxyphene and other pain medications. The revisions included strengthening the boxed warning on products containing propoxyphene to emphasize the risk of overdose.<sup>25</sup> At the request of the FDA, manufacturers removed Darvon and Darvocet from the market in 2010—53 years after it came on the market—citing evidence that the drug can cause “serious toxicity to the heart.”<sup>26</sup>
- Pemoline was approved by the FDA in 1975 under the brand name Cylert to treat attention deficit hyperactivity disorder.<sup>27</sup> A black box warning was added 22 years later, in 1997, after the FDA became aware of at least 10 cases of liver failure associated with use of the drug.<sup>28</sup> By December 1998, a total of 15 cases had been identified, a

---

<sup>20</sup> FDA, Drugs@FDA, Reglan, at <http://1.usa.gov/ZZZ24h>.

<sup>21</sup> FDA, *Metoclopramide-containing drugs* (Feb. 26, 2009), at <http://www.fda.gov/Safety/MedWatch/SafetyInformation/SafetyAlertsforHumanMedicalProducts/ucm106942.htm>.

<sup>22</sup> *Ibid.*

<sup>23</sup> FDA, *FDA requires boxed warning and risk mitigation strategy for Metoclopramide-containing drugs* (Feb. 26, 2009).

<sup>24</sup> Sidney M. Wolfe, M.D., Testimony on Propoxyphene (Darvon) Before FDA’s Anesthetic, Analgesic and Rheumatologic Drugs and Drug Safety and Risk Management Advisory Committees (Jan. 30, 2009), at [www.citizen.org/Page.aspx?pid=537](http://www.citizen.org/Page.aspx?pid=537).

<sup>25</sup> FDA, *FDA Takes Action on Darvon and Other Pain Medications* (July 14, 2009), at <http://1.usa.gov/97BMt>.

<sup>26</sup> FDA, *Propoxyphene: Withdrawal – Risk of Cardiac Toxicity* (Nov. 19, 2010), at <http://1.usa.gov/byZgN1>.

<sup>27</sup> FDA, Drugs@FDA, Cylert, at <http://1.usa.gov/16pMIF>.

<sup>28</sup> FDA, Drugs@FDA, Cylert Label and Approval History, Labeling Revision 7 (Dec. 12, 1997), at <http://1.usa.gov/ZxtOoF>; FDA, Drugs@FDA, Cylert, Label and Approval History, Control Supplement 12 (Sept. 9, 1996), at <http://1.usa.gov/YaUWJ3>.

much higher rate than expected in the general population.<sup>29</sup> Of these, 12 resulted in death or required a liver transplant.<sup>30</sup> In 1999-2001, the FDA approved several generic versions of the drug.<sup>31</sup> The brand-name manufacturer removed the drug from the market in 2005, and no branded or generic version is currently available.<sup>32</sup>

- Fluoxetine hydrochloride, approved by the FDA as Prozac<sup>33</sup> in 1987, is prescribed to treat depression and other serious psychological disorders.<sup>34</sup> In 2004, citing heightened risk of suicide in children and adolescents, the FDA directed the manufacturers of all selective serotonin reuptake inhibitor (SSRI) anti-depressants, including fluoxetine, to revise the labeling to include a black box warning.<sup>35</sup> That warning was later extended to adults under 25 who were prescribed an SSRI.<sup>36</sup> Fluoxetine remains on the market today in both brand-name and generic form.<sup>37</sup>
- Haloperidol is an antipsychotic drug approved by the FDA in 1967 as brand name Haldol.<sup>38</sup> In 2007, the FDA announced that the sponsor of the drug had updated the warning label due to reports of sudden death and heart-related side-effects.<sup>39</sup> In 2008, the FDA required manufacturers of haloperidol and many other antipsychotic drugs to add black box warnings following the release of several studies suggesting that the use of these types of drugs to treat elderly patients with dementia increased the risk of death among these patients.<sup>40</sup>

We undertook to assess the quantity of significant labeling changes made after a generic drug came on the market. Limiting the research to changes made from January 2008 through March 2013, and to changes consisting of a new boxed warning, we compiled a list

---

<sup>29</sup> FDA, Drugs@FDA, Cylert Label and Approval History, Label as approved on 11/21/2003, at <http://1.usa.gov/ZTuVhV>.

<sup>30</sup> *Ibid.*

<sup>31</sup> FDA, Drugs@FDA, Pemoline, at <http://1.usa.gov/189Zzag>.

<sup>32</sup> Abbott Laboratories, Dear Prescriber Letter (May 2005), at <http://1.usa.gov/189ZymQ>; Drugs@FDA, Pemoline, at <http://1.usa.gov/189Zzag>.

<sup>33</sup> The same new drug application submitted for Prozac and approved in 1987 (NDA #018-936) also supports marketing of the drug under the brand name Sarafem. FDA, Drugs@FDA, Sarafem, at <http://1.usa.gov/16pMIF>.

<sup>34</sup> FDA, Drugs@FDA, Fluoxetine Hydrochloride 1, at <http://1.usa.gov/11UpUof>.

<sup>35</sup> FDA, *Suicidality in children and adolescents being treated with antidepressant medications* (Oct. 15, 2004), at <http://1.usa.gov/yjXP1G>.

<sup>36</sup> FDA, *Antidepressant use in children, adolescents, and adults* (May 2, 2007), at <http://1.usa.gov/lXD4C>.

<sup>37</sup> FDA, Drugs@FDA, Fluoxetine, at <http://1.usa.gov/12OY4v1>; FDA, Drugs@FDA, Fluoxetine Hydrochloride, at <http://1.usa.gov/11SP0di>.

<sup>38</sup> FDA, Drugs@FDA, Haldol (NDA 015-923), Label at <http://1.usa.gov/18f0co>.

<sup>39</sup> FDA, *Information for HealthCare Professionals: Haloperidol (marketed as Haldol, Haldol Decanoate and Haldol Lactate)* (Sept. 2007), at <http://1.usa.gov/wfODV>.

<sup>40</sup> FDA, *Information for Healthcare Professionals: Conventional Antipsychotics* (June 16, 2008), at <http://www.fda.gov/drugs/drugsafety/postmarketdrugsafetyinformationforpatientsandproviders/ucm124830.htm>.



of boxed warnings added after the generic equivalent entered the market. In the table below, we indicate the year of the brand-name approval, the year of the boxed warning, and whether the brand-name drug and/or the generic drug is still being sold.

Table 1 does not include any warning, regardless of severity, that was not added as a boxed warning and does not include any other type of significant change, such as a change to the instructions in the precautions or directions for use.

**Table 1: Drugs with New Black Boxed Warnings Added after Generic Version Entered Market (January 2008 - March 2013)<sup>41</sup>**

Generic Name	Original Brand Name	Year of Approval	Current Availability	Year of New Boxed Warning	Years from Approval to New Boxed Warning
Ciprofloxacin (tablets)	Cipro	1987	Generic and Branded	2008, 2011	21, 24
Ofloxacin (tablets)	Floxin	1990	Generic Only	2008, 2011	18, 21
Clozapine HCL	Clozaril	1989	Generic and Branded	2008	19
Haloperidol (injectable)	Haldol	1971	Generic and Branded	2008	37
Molindone Hydrochloride (tablets)	Moban	1974	Discontinued	2008	34
Thiothixene (capsules)	Navane	1967	Generic and Branded	2008	41
Thiothixene Hydrochloride (concentrate)	Navane	1970	Discontinued	2008	38
Risperidone (tablets)	Risperdal	1993	Generic and Branded	2008	15
Clindamycin (injection in 5% dextrose)	Cleocin Phosphate	1989	Generic and Branded	2008	19
Fentanyl	Duragesic	1990	Generic and Branded	2008, 2012	18, 22

<sup>41</sup> Table 1 was compiled using information available from FDA, Drug Safety Labeling Changes, at <http://1.usa.gov/ZTvus5>, and FDA, Drugs@FDA, at <http://1.usa.gov/8man7w>. Information concerning two drugs, Phenergan and Darvon/Darvocet, is also based on the sources cited *supra* at notes 16-19 and 24-26. Information on codeine is based on FDA, *FDA Drug Safety Communication: Safety review update of codeine use in children; new Boxed Warning and Contraindication on use after tonsillectomy and/or adenoidectomy*, (Feb. 2013), at <http://www.fda.gov/Drugs/DrugSafety/ucm339112.htm>.

Generic Name	Original Brand Name	Year of Approval	Current Availability	Year of New Boxed Warning	Years from Approval to New Boxed Warning
Fentanyl Citrate	Actiq	1998	Generic and Branded	2009	11
Clindamycin Hydrochloride (capsules)	Cleocin HCL	1970	Generic Only	2009	39
Bupropion Hydrochloride	Wellbutrin	1985	Generic and Branded	2009	24
Bupropion Hydrochloride	Zyban	1997	Generic and Branded	2009	12
Metoclopramide (tablets)	Reglan	1980	Generic and Branded	2009	29
Metoclopramide (injectable)	Reglan	1979	Generic and Branded	2009	30
Fludarabine Phosphate	Fludara	1991	Generic Only	2009	18
Mitoxantrone HCL	Novantrone	1987	Generic Only	2009	22
Promethazine	Phenergan	1951	Generic Only	2009	58
Propoxyphene	Darvon / Darvocet	1957	Discontinued	2009	52
Perindopril Erbumine	Aceon	1993	Generic and Branded	2010, 2012	17, 19
Ramipril (capsules)	Altace	1991	Generic and Branded	2010	19
Leflunomide	Arava	1998	Generic and Branded	2010	12
Propylthiouracil (tablets)	Propylthiouracil	1947	Branded Only	2010	63
Captopril	Capoten	1981	Generic and Branded	2011	30
Fosphenytoin Sodium	Cerebyx	1996	Generic Only	2011	15
Phenytoin (injectable)	Dilantin	1956	Generic Only	2011	55

Generic Name	Original Brand Name	Year of Approval	Current Availability	Year of New Boxed Warning	Years from Approval to New Boxed Warning
Butalbital, Acetaminophen, Caffeine, and Codeine Phosphate	Fioricet with Codeine	1992	Generic and Branded	2011	19
Pentazocine Hydrochloride, and Acetaminophen	Talacen	1982	Generic Only	2011	29
Azathioprine (tablets)	Imuran	1968	Generic and Branded	2011	43
Azathioprine sodium (injectable)	Imuran	1974	Generic Only	2011	37
Rosiglitazone Maleate	Avandia	1999	Generic and Branded	2011	12
Mycophenolate Mofetil (capsules)	CellCept	1995	Generic and Branded	2012	17
Mycophenolate Mofetil (tablets)	CellCept	1997	Generic and Branded	2012	15
Methadone Hydrochloride	Dolophine	1947	Generic and Branded	2012	65
Methadone Hydrochloride (oral solution)	Methadone Hydrochloride	1981	Generic Only	2012	31
Methadone Hydrochloride (oral concentrate)	Methadone Hydrochloride	1994	Generic Only	2012	18
Morphine Sulfate	MS Contin	1987	Generic and Branded	2012	25
Dantrolene Sodium (capsule)	Dantrium	1974	Generic and Branded	2012	38
Estradiol	Estraderm	1986	Generic and Branded	2012	26
Lisinopril	Prinivil	1987	Generic and Branded	2012	25
Benazepril Hydrochloride	Lotensin	1991	Generic and Branded	2012	21
Trandolapril	Mavik	1996	Generic and Branded	2012	16

Generic Name	Original Brand Name	Year of Approval	Current Availability	Year of New Boxed Warning	Years from Approval to New Boxed Warning
Quinapril HCl / Hydrochlorothiazide	Accuretic	1999	Generic and Branded	2012	13
Ramipril (capsule)	Altace	1991	Generic and Branded	2012	21
Amlodipine Besylate and Benazepril Hydrochloride	Lotrel	1995	Generic and Branded	2012	17
Trandolapril / Verapamil Hydrochloride	Tarka	1996	Generic and Branded	2012	16
Eprosartan Mesylate	Teveten	1997	Generic and Branded	2012	15
Moexipril Hydrochloride	Univasc	1995	Generic and Branded	2012	17
Moexipril Hydrochloride / Hydrochlorothiazide	Uniretic	1997	Generic and Branded	2012	15
Enalapril Maleate; Hydrochlorothiazide	Vaseretic	1986	Generic and Branded	2012	26
Lisinopril and Hydrochlorothiazide	Zestoretic	1989	Generic and Branded	2012	23
Codeine	Codeine	1950	Generic and Branded (in combination products)	2013	63

Table I shows the frequency of significant safety issues identified after generics have entered the market. Over a five-year period, we identified 53 drugs for which a black-box warning calling attention to serious or life-threatening risks was added after generic market entry—and the list is likely incomplete.<sup>42</sup> The data show that new safety issues commonly arise after generics have entered the market, and underscore the public health imperative of maintaining an incentive for generic manufacturer surveillance of safety concerns.

<sup>42</sup> Table 1 is likely incomplete because the FDA list of new warnings on which we relied to compile Table 1 did not include warnings added to two drugs—danazol and promethazine—for which new boxed warnings were required during the time period covered. *See supra* note 41.

## Generic Drugs Often Lack Brand-Name Alternatives

Whether because of price competition or other reasons, it is not uncommon for the brand-name manufacturer to exit the market entirely after generic entry, leaving generic products as the only marketed versions of the drug. In that situation, the limitation on generics' ability to update labeling to provide the most current warning information takes on added significance, particularly when the drug is known to pose serious risks.

The market withdrawals of Accutane and Serzone illustrate the point.

- Isotretinoin, first marketed under the brand name Accutane, is used to treat a severe form of acne and first received FDA approval in 1982.<sup>43</sup> Accutane was linked to several severe side effects, including birth defects when taken by pregnant women, damage to the liver and other internal organs, and depression.<sup>44</sup> In 2009, after nearly 30 years on the market, the brand-name manufacturer discontinued manufacturing and distributing Accutane, citing the cost of personal-injury lawsuits and the effect of generics on its market share.<sup>45</sup> Generic versions of isotretinoin remain available.<sup>46</sup>
- Nefazodone hydrochloride, an antidepressant approved in 1994 as brand-name Serzone, was removed from the market by the brand-name manufacturer in 2004.<sup>47</sup> Although the drug had been withdrawn from the market in Canada for safety reasons<sup>48</sup> and is associated liver failure,<sup>49</sup> the company purported to stop selling it in the United States due to economic considerations.<sup>50</sup> Nefazodone hydrochloride remains on the market in generic form.<sup>51</sup>

To compile a list of prescription drugs where the brand-name manufacturer has discontinued sales but a generic equivalent remains on the market, we analyzed drugs listed in the FDA's *Orange Book: Approved Drug Products with Therapeutic Equivalence Evaluations*.<sup>52</sup> Sorting products in the *Orange Book's* electronic database as of February 27, 2013, made available through the FDA's website, we identified 434 approved drugs for which no brand-name product remains on the market. These products are listed in Table 2.

---

<sup>43</sup> FDA, Drugs@FDA, Accutane, at <http://www.accessdata.fda.gov/scripts/cder/drugsatfda/index.cfm>.

<sup>44</sup> Roche Laboratories, Inc., *Medication Guide: Accutane* 14-15 (Jan. 2010), at <http://1.usa.gov/16hEwDq>.

<sup>45</sup> Roche Pharmaceuticals, *Roche Discontinues and Plans to Delist Accutane in the U.S.* (June 29, 2009), at <http://bit.ly/ZPJlvQ>.

<sup>46</sup> FDA, Drugs@FDA, Isotretinoin, at <http://www.accessdata.fda.gov/scripts/cder/drugsatfda/index.cfm>.

<sup>47</sup> 69 Fed. Reg. 62447, 62447 (Oct. 26, 2004), at <http://1.usa.gov/17t1adG>.

<sup>48</sup> Health Canada, *Advisory* (Nov. 10, 2003), at <http://bit.ly/ZTvYOW>.

<sup>49</sup> Public Citizen, *Petition to ban antidepressant nefazadone (Serzone)* (Mar. 6, 2003), at <http://www.citizen.org/Page.aspx?pid=3299>.

<sup>50</sup> CBS Evening News, *Anti-Depressant Taken Off Market* (Dec. 5, 2007), at <http://cbsn.ws/17nn53l>.

<sup>51</sup> FDA, Drugs@FDA, Nefazodone hydrochloride, at <http://1.usa.gov/ZPJWmw>.

<sup>52</sup> FDA, *Orange Book: Approved Drug Products with Therapeutic Equivalence Evaluations* (2013), at <http://1.usa.gov/3NEz8T>.

Because product safety and effectiveness varies with differing dosage levels, the FDA requires manufacturers to seek separate approval to market each dosage and dosage form of the same active ingredient, and the FDA generally lists each approved form as a separate product in the *Orange Book*. Where the FDA has separately listed different dosages and dosage forms, Table 2 does so as well.

**Table 2: Generic Drugs with Unique Ingredients, Dosage Form and Route, and Strength (Brand-name product discontinued)**

INGREDIENT	DOSAGE FORM & ROUTE	STRENGTH
Acetaminophen; Butalbital	Capsule; Oral	650MG; 50MG
Acetaminophen; Butalbital	Tablet; Oral	300MG; 50MG
Acetaminophen; Butalbital	Tablet; Oral	325MG; 50MG
Acetaminophen; Butalbital	Tablet; Oral	650MG; 50MG
Acetaminophen; Butalbital; Caffeine	Capsule; Oral	300MG; 50MG; 40MG
Acetaminophen; Butalbital; Caffeine	Capsule; Oral	325MG; 50MG; 40MG
Acetaminophen; Butalbital; Caffeine	Capsule; Oral	500MG; 50MG; 40MG
Acetaminophen; Butalbital; Caffeine	Solution; Oral	325MG/15ML; 50MG/15ML; 40MG/15ML
Acetaminophen; Butalbital; Caffeine	Tablet; Oral	325MG; 50MG; 40MG
Acetaminophen; Butalbital; Caffeine	Tablet; Oral	500MG; 50MG; 40MG
Acetaminophen; Butalbital; Caffeine	Tablet; Oral	750MG; 50MG; 40MG
Acetaminophen; Butalbital; Caffeine; Codeine Phosphate	Capsule; Oral	300MG; 50MG; 40MG; 30MG
Acetaminophen; Caffeine; Dihydrocodeine Bitartrate	Capsule; Oral	356.4MG; 30MG; 16MG
Acetaminophen; Caffeine; Dihydrocodeine Bitartrate	Tablet; Oral	712.8MG; 60MG; 32MG
Acetaminophen; Codeine Phosphate	Solution; Oral	120MG/5ML; 12MG/5ML
Acetaminophen; Codeine Phosphate	Suspension; Oral	120MG/5ML; 12MG/5ML
Acetaminophen; Codeine Phosphate	Tablet; Oral	300MG; 15MG
Acetaminophen; Codeine Phosphate	Tablet; Oral	300MG; 30MG
Acetaminophen; Codeine Phosphate	Tablet; Oral	300MG; 60MG
Acetaminophen; Codeine Phosphate	Tablet; Oral	650MG; 30MG
Acetaminophen; Codeine Phosphate	Tablet; Oral	650MG; 60MG
Acetaminophen; Hydrocodone Bitartrate	Capsule; Oral	500MG; 5MG
Acetaminophen; Hydrocodone Bitartrate	Solution; Oral	300MG/15ML; 10MG/15ML
Acetaminophen; Hydrocodone Bitartrate	Solution; Oral	325MG/15ML; 10MG/15ML
Acetaminophen; Hydrocodone Bitartrate	Solution; Oral	325MG/15ML; 7.5MG/15ML
Acetaminophen; Hydrocodone Bitartrate	Solution; Oral	500MG/15ML; 7.5MG/15ML
Acetaminophen; Hydrocodone Bitartrate	Tablet; Oral	300MG; 10MG
Acetaminophen; Hydrocodone Bitartrate	Tablet; Oral	300MG; 5MG
Acetaminophen; Hydrocodone Bitartrate	Tablet; Oral	300MG; 7.5MG
Acetaminophen; Hydrocodone Bitartrate	Tablet; Oral	325MG; 10MG

INGREDIENT	DOSAGE FORM & ROUTE	STRENGTH
Acetaminophen; Hydrocodone Bitartrate	Tablet; Oral	325MG; 2.5MG
Acetaminophen; Hydrocodone Bitartrate	Tablet; Oral	325MG; 5MG
Acetaminophen; Hydrocodone Bitartrate	Tablet; Oral	325MG; 7.5MG
Acetaminophen; Hydrocodone Bitartrate	Tablet; Oral	400MG; 10MG
Acetaminophen; Hydrocodone Bitartrate	Tablet; Oral	400MG; 5MG
Acetaminophen; Hydrocodone Bitartrate	Tablet; Oral	400MG; 7.5MG
Acetaminophen; Hydrocodone Bitartrate	Tablet; Oral	500MG; 10MG
Acetaminophen; Hydrocodone Bitartrate	Tablet; Oral	500MG; 2.5MG
Acetaminophen; Hydrocodone Bitartrate	Tablet; Oral	500MG; 5MG
Acetaminophen; Hydrocodone Bitartrate	Tablet; Oral	500MG; 7.5MG
Acetaminophen; Hydrocodone Bitartrate	Tablet; Oral	650MG; 10MG
Acetaminophen; Hydrocodone Bitartrate	Tablet; Oral	650MG; 5MG
Acetaminophen; Hydrocodone Bitartrate	Tablet; Oral	650MG; 7.5MG
Acetaminophen; Hydrocodone Bitartrate	Tablet; Oral	660MG; 10MG
Acetaminophen; Hydrocodone Bitartrate	Tablet; Oral	750MG; 10MG
Acetaminophen; Hydrocodone Bitartrate	Tablet; Oral	750MG; 7.5MG
Acetaminophen; Oxycodone Hydrochloride	Capsule; Oral	500MG; 5MG
Acetaminophen; Oxycodone Hydrochloride	Solution; Oral	325MG/5ML; 5MG/5ML
Acetaminophen; Oxycodone Hydrochloride	Tablet; Oral	300MG; 10MG
Acetaminophen; Oxycodone Hydrochloride	Tablet; Oral	300MG; 2.5MG
Acetaminophen; Oxycodone Hydrochloride	Tablet; Oral	300MG; 5MG
Acetaminophen; Oxycodone Hydrochloride	Tablet; Oral	300MG; 7.5MG
Acetaminophen; Oxycodone Hydrochloride	Tablet; Oral	325MG; 10MG
Acetaminophen; Oxycodone Hydrochloride	Tablet; Oral	325MG; 2.5MG
Acetaminophen; Oxycodone Hydrochloride	Tablet; Oral	325MG; 5MG
Acetaminophen; Oxycodone Hydrochloride	Tablet; Oral	325MG; 7.5MG
Acetaminophen; Oxycodone Hydrochloride	Tablet; Oral	400MG; 10MG
Acetaminophen; Oxycodone Hydrochloride	Tablet; Oral	400MG; 2.5MG
Acetaminophen; Oxycodone Hydrochloride	Tablet; Oral	400MG; 5MG
Acetaminophen; Oxycodone Hydrochloride	Tablet; Oral	400MG; 7.5MG
Acetaminophen; Oxycodone Hydrochloride	Tablet; Oral	500MG; 10MG
Acetaminophen; Oxycodone Hydrochloride	Tablet; Oral	500MG; 5MG
Acetaminophen; Oxycodone Hydrochloride	Tablet; Oral	500MG; 7.5MG
Acetaminophen; Oxycodone Hydrochloride	Tablet; Oral	650MG; 10MG
Acetic Acid, Glacial; Aluminum Acetate	Solution/Drops; Otic	2%; 0.79%
Acyclovir Sodium	Injectable; Injection	EQ 50MG base/ML
Alprazolam	Concentrate; Oral	1MG/ML
Amino Acids	Injectable; Injection	15% (150GM/1000ML)
Amino Acids	Injectable; Injection	15% (300GM/2000ML)
Aminophylline	Injectable; Injection	25MG/ML
Aminosalicylic Acid	Granule, Delayed Release; Oral	4GM/packet

INGREDIENT	DOSAGE FORM & ROUTE	STRENGTH
Amiodarone Hydrochloride	Tablet; Oral	100MG
Amiodarone Hydrochloride	Tablet; Oral	300MG
Amiodarone Hydrochloride	Tablet; Oral	400MG
Amlodipine; Hydrochlorothiazide; Valsartan	Tablet; Oral	10MG; 12.5MG; 160MG
Amlodipine; Hydrochlorothiazide; Valsartan	Tablet; Oral	10MG; 25MG; 160MG
Amlodipine; Hydrochlorothiazide; Valsartan	Tablet; Oral	10MG; 25MG; 320MG
Amlodipine; Hydrochlorothiazide; Valsartan	Tablet; Oral	5MG; 12.5MG; 160MG
Amlodipine; Hydrochlorothiazide; Valsartan	Tablet; Oral	5MG; 25MG; 160MG
Ammonia N-13	Injectable; Intravenous	3.75-260mCi/ML
Ammonium Chloride	Injectable; Injection	5MEQ/ML
Amoxicillin; Clavulanate Potassium	Suspension; Oral	200MG/5ML; EQ 28.5MG base/5ML
Amoxicillin; Clavulanate Potassium	Suspension; Oral	400MG/5ML; EQ 57MG base/5ML
Amoxicillin; Clavulanate Potassium	Suspension; Oral	600MG/5ML; EQ 42.9MG base/5ML
Amphetamine Sulfate	Tablet; Oral	10MG
Amphetamine Sulfate	Tablet; Oral	5MG
Amphotericin B	Injectable; Injection	50MG/vial
Ampicillin Sodium	Injectable; Injection	EQ 10GM base/vial
Azathioprine	Tablet; Oral	100MG
Azathioprine	Tablet; Oral	75MG
Bacitracin	Injectable; Injection	10,000 units/vial
Bacitracin	Injectable; Injection	50,000 units/vial
Bacitracin	Ointment; Ophthalmic	500 units/GM
Bacitracin	Powder; For Rx Compounding	5,000,000 units/bot
Bacitracin Zinc; Polymyxin B Sulfate	Ointment; Ophthalmic	500 units/GM; 10,000 units/GM
Bacitracin; Hydrocortisone Acetate; Neomycin Sulfate; Polymyxin B Sulfate	Ointment; Ophthalmic	400 units/GM; 1%; EQ 3.5MG base/GM; 10,000 units/GM
Benzonate	Capsule; Oral	150MG
Bupivacaine Hydrochloride; Epinephrine	Injectable; Injection	0.25%; 0.005MG/ML
Bupivacaine Hydrochloride; Epinephrine	Injectable; Injection	0.5%; 0.005MG/ML
Buspirone Hydrochloride	Tablet; Oral	7.5MG
Butabarbital Sodium	Elixir; Oral	30MG/5ML
Carbamazepine	Tablet, Chewable; Oral	200MG
Carbamazepine	Tablet; Oral	100MG
Carbamazepine	Tablet; Oral	300MG
Carbamazepine	Tablet; Oral	400MG
Carbidopa; Levodopa	Tablet, Orally Disintegrating; Oral	10MG; 100MG
Carbidopa; Levodopa	Tablet, Orally Disintegrating; Oral	25MG; 100MG
Carbidopa; Levodopa	Tablet, Orally Disintegrating; Oral	25MG; 250MG



INGREDIENT	DOSAGE FORM & ROUTE	STRENGTH
Carbinoxamine Maleate	Solution; Oral	4MG/5ML
Carboplatin	Injectable; Iv (Infusion)	1GM/100ML (10MG/ML)
Cefaclor	For Suspension; Oral	EQ 187MG base/5ML
Cefaclor	For Suspension; Oral	EQ 375MG base/5ML
Cefazolin Sodium	Injectable; Injection	EQ 100GM base/VIAL
Cefazolin Sodium	Injectable; Injection	EQ 20GM base/VIAL
Cefazolin Sodium	Injectable; Injection	EQ 300GM base/VIAL
Cefixime	Suspension; Oral	100MG/5ML
Cefixime	Suspension; Oral	200MG/5ML
Cefixime	Tablet, Chewable; Oral	100MG
Cefixime	Tablet, Chewable; Oral	150MG
Cefixime	Tablet, Chewable; Oral	200MG
Ceftriaxone Sodium	Injectable; Injection	EQ 500MG base/vial
Cefuroxime Sodium	Injectable; Injection	EQ 225GM base/vial
Cefuroxime Sodium	Injectable; Injection	EQ 75GM base/vial
Chloroquine Phosphate	Tablet; Oral	EQ 150MG base
Chlorpheniramine Polistirex; Hydrocodone Polistirex	Capsule, Extended Release; Oral	EQ 4MG Maleate; EQ 5MG Bitartrate
Chlorpheniramine Polistirex; Hydrocodone Polistirex	Capsule, Extended Release; Oral	EQ 8MG Maleate; EQ 10MG Bitartrate
Chlorzoxazone	Tablet; Oral	375MG
Chlorzoxazone	Tablet; Oral	750MG
Citalopram Hydrobromide	Capsule; Oral	EQ 10MG base
Citalopram Hydrobromide	Capsule; Oral	EQ 20MG base
Citalopram Hydrobromide	Capsule; Oral	EQ 40MG base
Clindamycin Palmitate Hydrochloride	For Solution; Oral	EQ 75MG base/5ML
Clonidine Hydrochloride	Injectable; Injection	1MG/10ML (0.1MG/ML)
Clonidine Hydrochloride	Injectable; Injection	5MG/10ML (0.5MG/ML)
Clozapine	Tablet; Oral	12.5MG
Clozapine	Tablet; Oral	200MG
Clozapine	Tablet; Oral	50MG
Cyclobenzaprine Hydrochloride	Tablet; Oral	7.5MG
Cyclopentolate Hydrochloride	Solution/Drops; Ophthalmic	0.5%
Cyclopentolate Hydrochloride	Solution/Drops; Ophthalmic	1%
Cyclopentolate Hydrochloride	Solution/Drops; Ophthalmic	2%
Cyclopentolate Hydrochloride; Phenylephrine Hydrochloride	Solution/Drops; Ophthalmic	0.2%; 1%
Cycloserine	Capsule; Oral	250MG
Cytarabine	Injectable; Injection	100MG/ML
Cytarabine	Injectable; Injection	20MG/ML
Dacarbazine	Injectable; Injection	500MG/vial
Dapsone	Tablet; Oral	100MG
Dapsone	Tablet; Oral	25MG

INGREDIENT	DOSAGE FORM & ROUTE	STRENGTH
Daunorubicin Hydrochloride	Injectable; Injection	EQ 5MG base/vial
Desonide	Lotion; Topical	0.05%
Dexamethasone	Concentrate; Oral	1MG/ML
Dexamethasone	Solution; Oral	0.5MG/5ML
Dexamethasone	Tablet; Oral	1MG
Dexamethasone	Tablet; Oral	2MG
Dexchlorpheniramine Maleate	Syrup; Oral	2MG/5ML
Dextroamphetamine Sulfate	Solution; Oral	5MG/5ML
Dextroamphetamine Sulfate	Tablet; Oral	10MG
Dextroamphetamine Sulfate	Tablet; Oral	15MG
Dextroamphetamine Sulfate	Tablet; Oral	2.5MG
Dextroamphetamine Sulfate	Tablet; Oral	20MG
Dextroamphetamine Sulfate	Tablet; Oral	30MG
Dextroamphetamine Sulfate	Tablet; Oral	5MG
Dextroamphetamine Sulfate	Tablet; Oral	7.5MG
Diazepam	Concentrate; Oral	5MG/ML
Diazepam	Solution; Oral	5MG/5ML
Dicloxacillin Sodium	Capsule; Oral	EQ 125MG base
Diltiazem Hydrochloride	Injectable; Injection	10MG/ML
Dimenhydrinate	Injectable; Injection	50MG/ML
Doxycycline	Capsule; Oral	EQ 150MG base
Doxycycline	Tablet; Oral	EQ 100MG base
Doxycycline	Tablet; Oral	EQ 150MG base
Doxycycline	Tablet; Oral	EQ 50MG base
Doxycycline	Tablet; Oral	EQ 75MG base
Epinephrine Bitartrate; Lidocaine Hydrochloride	Injectable; Injection	EQ 0.01MG base/ML; 2%
Epinephrine Bitartrate; Lidocaine Hydrochloride	Injectable; Injection	EQ 0.02MG base/ML; 2%
Epirubicin Hydrochloride	Injectable; Injection	10MG/5ML (2MG/ML)
Epirubicin Hydrochloride	Injectable; Injection	150MG/75ML (2MG/ML)
Ergotamine Tartrate	Tablet; Sublingual	2MG
Erythromycin	Tablet, Delayed Release; Oral	250MG
Erythromycin	Tablet, Delayed Release; Oral	333MG
Erythromycin	Tablet, Delayed Release; Oral	500MG
Erythromycin	Tablet; Oral	250MG
Erythromycin	Tablet; Oral	500MG
Erythromycin Ethylsuccinate	Suspension; Oral	EQ 200MG base/5ML
Erythromycin Ethylsuccinate	Suspension; Oral	EQ 400MG base/5ML
Erythromycin Ethylsuccinate	Tablet; Oral	EQ 400MG base
Erythromycin Stearate	Tablet; Oral	EQ 250MG base
Estradiol	Cream; Vaginal	0.01%
Estradiol	Tablet; Oral	0.5MG

INGREDIENT	DOSAGE FORM & ROUTE	STRENGTH
Estradiol	Tablet; Oral	1MG
Estradiol	Tablet; Oral	2MG
Estradiol Cypionate	Injectable; Injection	5MG/ML
Estrogens, Esterified	Tablet; Oral	0.3MG
Estrogens, Esterified	Tablet; Oral	0.625MG
Estrogens, Esterified	Tablet; Oral	1.25MG
Estrogens, Esterified	Tablet; Oral	2.5MG
Estropipate	Tablet; Oral	0.75MG
Estropipate	Tablet; Oral	1.5MG
Estropipate	Tablet; Oral	3MG
Estropipate	Tablet; Oral	6MG
Ethinyl Estradiol; Norgestimate	Tablet; Oral	0.035MG; 0.035MG; 0.035MG; 0.18MG; 0.215MG; 0.25MG
Ethosuximide	Syrup; Oral	250MG/5ML
Famotidine	Suspension; Oral	40MG/5ML
Fenofibrate	Tablet; Oral	107MG
Fluconazole	Injectable; Injection	100MG/50ML (2MG/ML)
Fludeoxyglucose F-18	Injectable; Intravenous	20-500mCi/ML
Fluorouracil	Injectable; Injection	1GM/20ML (50MG/ML)
Fluorouracil	Injectable; Injection	2.5GM/50ML (50MG/ML)
Fluorouracil	Injectable; Injection	5GM/100ML (50MG/ML)
Fosinopril; Hydrochlorothiazide	Tablet; Oral	10MG; 12.5MG
Fosinopril; Hydrochlorothiazide	Tablet; Oral	20MG; 12.5MG
Fosphenytoin Sodium	Injectable; Injection	EQ 50MG pnenytoin NA/ML
Furosemide	Solution; Oral	40MG/5ML
Gabapentin	Tablet; Oral	100MG
Gabapentin	Tablet; Oral	400MG
Gemcitabine Hydrochloride	Injectable; Injection	EQ 2GM base/vial
Gentamicin Sulfate	Cream; Topical	EQ 0.1% base
Gentamicin Sulfate	Injectable; Injection	EQ 0.8MG base/ML
Gentamicin Sulfate	Injectable; Injection	EQ 1.2MG base/ML
Gentamicin Sulfate	Injectable; Injection	EQ 1.4MG base/ML
Gentamicin Sulfate	Injectable; Injection	EQ 1.6MG base/ML
Gentamicin Sulfate	Injectable; Injection	EQ 1.8MG base/ML
Gentamicin Sulfate	Injectable; Injection	EQ 100MG base/100ML
Gentamicin Sulfate	Injectable; Injection	EQ 10MG base/ML
Gentamicin Sulfate	Injectable; Injection	EQ 120MG base/100ML
Gentamicin Sulfate	Injectable; Injection	EQ 2.4MG base/ML
Gentamicin Sulfate	Injectable; Injection	EQ 2MG base/ML
Gentamicin Sulfate	Injectable; Injection	EQ 40MG base/100ML
Gentamicin Sulfate	Injectable; Injection	EQ 40MG base/ML

INGREDIENT	DOSAGE FORM & ROUTE	STRENGTH
Gentamicin Sulfate	Injectable; Injection	EQ 60MG base/100ML
Gentamicin Sulfate	Injectable; Injection	EQ 70MG base/100ML
Gentamicin Sulfate	Injectable; Injection	EQ 80MG base/100ML
Gentamicin Sulfate	Injectable; Injection	EQ 90MG base/100ML
Gentamicin Sulfate	Ointment; Topical	EQ 0.1% base
Glimepiride	Tablet; Oral	3MG
Glimepiride	Tablet; Oral	6MG
Glimepiride	Tablet; Oral	8MG
Glycopyrrolate	Tablet; Oral	1.5MG
Gramicidin; Neomycin Sulfate; Polymyxin B Sulfate	Solution/Drops; Ophthalmic	0.025MG/ML; EQ 1.75MG base/ML; 10,000 units/ML
Griseofulvin, Microsize	Suspension; Oral	125MG/5ML
Griseofulvin, Microsize	Tablet; Oral	500MG
Hydralazine Hydrochloride; Hydrochlorothiazide	Capsule; Oral	25MG; 25MG
Hydralazine Hydrochloride; Hydrochlorothiazide	Capsule; Oral	50MG; 50MG
Hydrochlorothiazide	Tablet; Oral	12.5MG
Hydrochlorothiazide; Quinapril Hydrochloride	Tablet; Oral	12.5MG; 10MG
Hydrochlorothiazide; Quinapril Hydrochloride	Tablet; Oral	12.5MG; 20MG
Hydrochlorothiazide; Quinapril Hydrochloride	Tablet; Oral	25MG; 20MG
Hydrocodone Bitartrate; Ibuprofen	Tablet; Oral	10MG; 200MG
Hydrocodone Bitartrate; Ibuprofen	Tablet; Oral	2.5MG; 200MG
Hydrocodone Bitartrate; Ibuprofen	Tablet; Oral	5MG; 200MG
Hydrocortisone	Cream; Topical	2.5%
Hydrocortisone	Lotion; Topical	2%
Hydrocortisone	Lotion; Topical	2.5%
Hydrocortisone	Powder; For Rx Compounding	100%
Hydrocortisone	Solution; Topical	2.5%
Hydrocortisone Acetate	Cream; Topical	2%
Hydrocortisone Acetate	Cream; Topical	2.5%
Hydrocortisone Acetate	Paste; Topical	0.5%
Hydrocortisone Acetate	Powder; For Rx Compounding	100%
Hydrocortisone Acetate; Pramoxine Hydrochloride	Aerosol, Metered; Topical	1%; 1%
Hydrocortisone Acetate; Pramoxine Hydrochloride	Cream; Topical	0.5%; 1%
Hydrocortisone Acetate; Pramoxine Hydrochloride	Cream; Topical	1%; 1%
Hydrocortisone Acetate; Pramoxine Hydrochloride	Lotion; Topical	1%; 1%
Hydrocortisone Acetate; Pramoxine Hydrochloride	Lotion; Topical	2.5%; 1%
Hydrocortisone Acetate; Urea	Cream; Topical	1%; 10%
Hydrocortisone; Neomycin Sulfate; Polymyxin B Sulfate	Suspension/Drops; Otic	1%; EQ 3.5MG base/ML; 10,000 units/ML
Hydroxocobalamin	Injectable; Injection	1MG/ML
Ifosfamide	Injectable; Injection	1GM/20ML (50MG/ML)
Ifosfamide	Injectable; Injection	1GM/20ML (50MG/ML)

INGREDIENT	DOSAGE FORM & ROUTE	STRENGTH
Ifosfamide	Injectable; Injection	3GM/60ML (50MG/ML)
Ifosfamide	Injectable; Injection	3GM/60ML (50MG/ML)
Ifosfamide; Mesna	Injectable; Intravenous	1GM/20ML; 1GM/10ML (50MG/ML; 100MG/ML)
Ifosfamide; Mesna	Injectable; Intravenous	3GM/60ML; 1GM/10ML (50MG/ML; 100MG/ML)
Irinotecan Hydrochloride	Injectable; Injection	500MG/25ML (20MG/ML)
Isoniazid; Rifampin	Capsule; Oral	150MG; 300MG
Kanamycin Sulfate	Injectable; Injection	EQ 1GM base/3ML
Kanamycin Sulfate	Injectable; Injection	EQ 500MG base/2ML
Lactulose	For Solution; Oral	10GM/packet
Lactulose	For Solution; Oral	20GM/packet
Leucovorin Calcium	Injectable; Injection	EQ 10MG base/ML
Leucovorin Calcium	Injectable; Injection	EQ 200MG base/vial
Leucovorin Calcium	Injectable; Injection	EQ 500MG base/vial
Leucovorin Calcium	Tablet; Oral	EQ 10MG base
Leucovorin Calcium	Tablet; Oral	EQ 15MG base
Levetiracetam	Injectable; IV (Infusion)	500MG/5ML(100MG/ML)
Levetiracetam	Injectable; IV (Infusion)	500MG/ML (100MG/ML)
Levofloxacin	Injectable; Injection	EQ 500MG/100ML (EQ5MG/ML)
Lorazepam	Concentrate; Oral	2MG/ML
Meperidine Hydrochloride	Injectable; Injection	10MG/ML
Meperidine Hydrochloride	Tablet; Oral	150MG
Meperidine Hydrochloride	Tablet; Oral	75MG
Methadone Hydrochloride	Solution; Oral	10MG/5ML
Methadone Hydrochloride	Solution; Oral	5MG/5ML
Methotrexate Sodium	Injectable; Injection	EQ 100MG base/4ML (EQ 25MG base/ML)
Methotrexate Sodium	Injectable; Injection	EQ 200MG base/8ML (EQ 25MG base/ML)
Methotrexate Sodium	Injectable; Injection	EQ 250MG base/10ML (EQ 25MG base/ML)
Methotrexate Sodium	Injectable; Injection	EQ 250MG/10ML (EQ 25MG base/ML)
Methotrexate Sodium	Tablet; Oral	EQ 10MG base
Methotrexate Sodium	Tablet; Oral	EQ 15MG base
Methotrexate Sodium	Tablet; Oral	EQ 5MG base
Methotrexate Sodium	Tablet; Oral	EQ 7.5MG base
Methylphenidate Hydrochloride	Tablet, Extended Release; Oral	10MG
Methyltestosterone	Capsule; Oral	10MG
Metoprolol Succinate	Tablet, Extended Release; Oral	EQ 100MG base
Metoprolol Succinate	Tablet, Extended Release; Oral	EQ 200MG base

INGREDIENT	DOSAGE FORM & ROUTE	STRENGTH
Metoprolol Tartrate	Tablet; Oral	25MG
Minocycline Hydrochloride	Tablet; Oral	EQ 75MG base
Mirtazapine	Tablet; Oral	7.5MG
Mitomycin	Injectable; Injection	40MG/vial
Mitoxantrone	Injectable; Injection	EQ 20MG base/10ML (EQ 2MG base/ML)
Nafcillin Sodium	Injectable; Injection	EQ 1GM base
Nafcillin Sodium	Injectable; Injection	EQ 2GM base
Naltrexone Hydrochloride	Tablet; Oral	100MG
Naltrexone Hydrochloride	Tablet; Oral	25MG
Naphazoline Hydrochloride	Solution/Drops; Ophthalmic	0.1%
Naratriptan	Tablet; Oral	EQ 1MG base
Naratriptan	Tablet; Oral	EQ 2.5MG base
Neomycin Sulfate	Powder; For Rx Compounding	100%
Neomycin Sulfate	Tablet; Oral	500MG
Neomycin Sulfate; Polymyxin B Sulfate	Solution; Irrigation	EQ 40MG base/ML; 200,000 units/ML
Niacin	Tablet; Oral	500MG
Nitroglycerin	Ointment; Transdermal	2%
Nystatin	Cream; Topical	100,000 units/GM
Nystatin	Ointment; Topical	100,000 units/GM
Nystatin	Powder; Topical	100,000 units/GM
Nystatin	Tablet; Oral	500,000 units
Nystatin	Tablet; Vaginal	100,000 units
Nystatin; Triamcinolone Acetonide	Cream; Topical	100,000 units/GM; 0.1%
Nystatin; Triamcinolone Acetonide	Ointment; Topical	100,000 units/GM; 0.1%
Ondansetron Hydrochloride	Tablet; Oral	EQ 16MG base
Oxacillin Sodium	Injectable; Injection	EQ 10GM base/vial
Oxaliplatin	Injectable; IV (infusion)	50MG/vial
Oxtriphylline	Tablet, Extended Release; Oral	400MG
Oxtriphylline	Tablet, Extended Release; Oral	600MG
Oxycodone Hydrochloride	Tablet; Oral	10MG
Oxycodone Hydrochloride	Tablet; Oral	20MG
Oxytetracycline Hydrochloride; Polymyxin B Sulfate	Ointment; Ophthalmic	EQ 5MG base/GM; 10,000 units/GM
Pamidronate Disodium	Injectable; Injection	60MG/10ML (6MG/ML)
Paromomycin Sulfate	Capsule; Oral	EQ 250MG base
Penicillin G Potassium	Injectable; Injection	1,000,000 units/vial
Penicillin G Potassium	Injectable; Injection	20,000,000 units/vial
Penicillin G Potassium	Injectable; Injection	5,000,000 units/vial
Penicillin G Procaine	Injectable; Injection	300,000 units/ML
Penicillin G Procaine	Injectable; Injection	600,000 units/ML

INGREDIENT	DOSAGE FORM & ROUTE	STRENGTH
Penicillin G Sodium	Injectable; IM-IV	5,000,000 units/vial
Penicillin V Potassium	For Solution; Oral	EQ 125MG base/5ML
Penicillin V Potassium	For Solution; Oral	EQ 250MG base/5ML
Penicillin V Potassium	Tablet; Oral	EQ 250MG base
Penicillin V Potassium	Tablet; Oral	EQ 500MG base
Pentobarbital Sodium	Injectable; Injection	50MG/ML
Phentermine Hydrochloride	Capsule; Oral	15MG
Phentermine Hydrochloride	Capsule; Oral	37.5MG
Phentermine Hydrochloride	Tablet; Oral	37.5MG
Phenylephrine Hydrochloride; Promethazine Hydrochloride	Syrup; Oral	5MG/5ML; 6.25MG/5ML
Phenytoin	Tablet, Chewable; Oral	50MG
Phenytoin Sodium	Capsule; Oral	100MG extended
Phenytoin Sodium	Capsule; Oral	200MG extended
Phenytoin Sodium	Capsule; Oral	300MG extended
Phenytoin Sodium	Capsule; Oral	30MG extended
Polyethylene Glycol 3350; Potassium Chloride; Sodium Bicarbonate; Sodium Chloride; Sodium Sulfate Anhydrous	For Solution; Oral	236GM; 2.97GM; 6.74GM; 5.86GM; 22.74GM
Polymyxin B Sulfate	Injectable; Injection	EQ 500,000 units base/vial
Polymyxin B Sulfate	Injectable; Injection	EQ 500,000 units base/vial
Polymyxin B Sulfate	Powder; For Rx Compounding	100,000,000 units/bot
Potassium Chloride	Injectable; Injection	3MEQ/ML
Potassium Chloride	Tablet, Extended Release; Oral	15MEQ
Potassium Chloride; Sodium Chloride	Injectable; Injection	149MG/100ML; 450MG/100ML
Prednisolone	Syrup; Oral	15MG/5ML
Prednisolone	Syrup; Oral	5MG/5ML
Prednisolone Acetate; Sulfacetamide Sodium	Ointment; Ophthalmic	0.2%; 10%
Prednisolone Sodium Phosphate	Solution/Drops; Ophthalmic	EQ 0.9% phosphate
Prednisolone Sodium Phosphate	Solution; Oral	EQ 10MG base/5ML
Prednisolone Sodium Phosphate	Solution; Oral	EQ 15MG base /5ML
Prednisolone Sodium Phosphate	Solution; Oral	EQ 20MG base /5ML
Prednisolone Sodium Phosphate	Solution; Oral	EQ 25MG base /5ML
Prednisone	Solution; Oral	5MG/5ML
Prednisone	Solution; Oral	5MG/ML
Propranolol Hydrochloride	Solution; Oral	20MG/5ML
Propranolol Hydrochloride	Solution; Oral	40MG/5ML
Pyrazinamide	Tablet; Oral	500MG
Pyridoxine Hydrochloride	Injectable; Injection	100MG/ML
Quinidine Sulfate	Tablet; Oral	200MG
Quinidine Sulfate	Tablet; Oral	300MG

INGREDIENT	DOSAGE FORM & ROUTE	STRENGTH
Ribavirin	Tablet; Oral	500MG
Ribavirin	Tablet; Oral	600MG
Rifampin	Capsule; Oral	150MG
Risperidone	Tablet, Orally Disintegrating; Oral	0.25MG
Secobarbital Sodium	Capsule; Oral	100MG
Secobarbital Sodium	Capsule; Oral	50MG
Sodium Nitroprusside	Injectable; Injection	25MG/ML
Sodium Polystyrene Sulfonate	Powder; Oral; Rectal	454GM/bot
Sodium Polystyrene Sulfonate	Suspension; Oral; Rectal	15GM/60ML
Sodium Tetradecyl Sulfate	Injectable; Injection	20MG/2ML (10MG/ML)
Sodium Tetradecyl Sulfate	Injectable; Injection	60MG/2ML (30MG/ML)
Streptomycin Sulfate	Injectable; Injection	EQ 1GM base/vial
Technetium Tc-99m Sestamibi Kit	Injectable; Injection	10-30mCi
Testosterone	Pellet; Implantation	75MG
Testosterone Cypionate	Injectable; Injection	100MG/ML
Testosterone Cypionate	Injectable; Injection	200MG/ML
Tetracycline Hydrochloride	Capsule; Oral	100MG
Tetrahydrozoline Hydrochloride	Solution; Nasal	0.05%
Tetrahydrozoline Hydrochloride	Solution; Nasal	0.1%
Tetrahydrozoline Hydrochloride	Spray; Nasal	0.1%
Theophylline	Capsule, Extended Release; Oral	100MG
Theophylline	Capsule, Extended Release; Oral	200MG
Theophylline	Capsule, Extended Release; Oral	300MG
Theophylline	Capsule, Extended Release; Oral	400MG
Theophylline	Elixir; Oral	80MG/15ML
Theophylline	Solution; Oral	80MG/15ML
Theophylline	Tablet, Extended Release; Oral	100MG
Theophylline	Tablet, Extended Release; Oral	200MG
Theophylline	Tablet, Extended Release; Oral	300MG
Theophylline	Tablet, Extended Release; Oral	400MG
Theophylline	Tablet, Extended Release; Oral	450MG
Theophylline	Tablet, Extended Release; Oral	600MG
Theophylline	Tablet; Oral	125MG
Theophylline	Tablet; Oral	250MG
Thiamine Hydrochloride	Injectable; Injection	100MG/ML
Thiamine Hydrochloride	Injectable; Injection	200MG/ML



INGREDIENT	DOSAGE FORM & ROUTE	STRENGTH
Tobramycin Sulfate	Injectable; Injection	EQ 1.2MG base/ML
Tobramycin Sulfate	Injectable; Injection	EQ 1.6MG base/ML
Tobramycin Sulfate	Injectable; Injection	EQ 40MG base/ML
Tobramycin Sulfate	Injectable; Injection	EQ 80MG base/100ML
Tretinoin	Cream; Topical	0.0375%
Tretinoin	Cream; Topical	0.075%
Triamcinolone Acetonide	Cream; Topical	0.5%
Triamcinolone Acetonide	Ointment; Topical	0.05%
Triamcinolone Acetonide	Ointment; Topical	0.5%
Vancomycin Hydrochloride	Injectable; Injection	EQ 10GM base/vial
Vancomycin Hydrochloride	Injectable; Injection	EQ 1GM base/vial
Vancomycin Hydrochloride	Injectable; Injection	EQ 500MG base/vial
Vancomycin Hydrochloride	Injectable; Injection	EQ 5GM base/vial
Vancomycin Hydrochloride	Injectable; Injection	EQ 750MG base/vial
Vinblastine Sulfate	Injectable; Injection	1MG/ML
Vinorelbine	Injectable; Injection	EQ 10MG base/ML

Source: Public Citizen Analysis of FDA *Orange Book*.

## Regulatory Regime Creates Safety and Accountability Gap

As evidenced by Table 1, new serious risks to patients are sometimes identified years after a drug enters the market, making a drug's longevity no guarantee of safety. As Table 2 illustrates, hundreds of generic drugs are sold without a currently marketed brand-name equivalent. These facts make generic drug manufacturers' inability under current regulations to update the labeling of their products a threat to the safety of prescription drugs, and, accordingly, a source of unnecessary risks to patients.

**First**, as explained above, generic drugs gain a large market share for a particular drug soon after they enter the market, thereby making prescription drugs more affordable. Yet while the market shares of generic drugs have increased, the regulatory system has not adjusted to compel generic manufacturers to shoulder responsibility commensurate with their status as major market players. At the same time, the dominance of generics weakens the incentive for brand-name manufacturers to remain actively engaged in the market for their products after generics come on the market.

Under the laws of many states, the brand-name company cannot be held liable for harm caused by inadequate labeling where the injured patient took a generic form of the drug.<sup>53</sup> When more than 75 percent of all prescriptions are filled by generic versions, this legal

<sup>53</sup> Jim Beck & Mark Hermann, *Scorecard: Innovator Liability In Generic Drug Cases*, Drug and Device Law Blog (Nov. 12, 2009), at <http://druganddevicelaw.blogspot.com/2009/11/scorecard-non-manufacturer-name-brand.html>.

reality further diminishes the name-brand manufacturer's incentive to be vigilant and to take the time and expense to submit a CBE or PAS.

These developments collectively give rise to a safety problem: As generic market share increases, the brand-name manufacturer loses incentive to invest resources in post-approval safety monitoring, while generic manufacturers face no concomitant increase in incentive and have no authority to update labeling. Given that the FDA cannot monitor all post-approval data by itself, drug safety is threatened when the regulatory and common-law incentives designed to motivate manufacturer diligence weaken with shifting control of market share.

Drug safety would benefit if generic manufacturers who already have access to much of the relevant information were able to use CBE and PAS procedures to revise labeling. Once a manufacturer has achieved a certain market share, it should be given the tools to share responsibilities for drug safety and labeling.

**Second**, in *PLIVA v. Mensing*, the Supreme Court held that because FDA regulations give generic manufacturers no control over drug labeling, it would be impossible for those manufacturers to comply with both federal law and a state-law duty to provide an adequate warning, even assuming that the approved warning is inadequate. Accordingly, the Court held, state-law duties to provide adequate warnings are preempted and generic manufacturers cannot be held accountable to patients for injuries caused by their products.<sup>54</sup>

The dissent in *PLIVA* noted (and the majority did not disagree) that the Court's holding produces "absurd consequences."<sup>55</sup> First, it threatens drug safety by creating a "gap in the parallel federal-state regulatory scheme."<sup>56</sup> Second, it denies compensation to consumers injured by drugs with inadequate warnings on the arbitrary basis of whether their prescriptions were filled with a brand-name or generic. In this way, the holding—and the regulatory scheme on which it is based—deviates from the "sameness" principle central to the Hatch-Waxman Amendments by distinguishing generics in a crucial respect: "Consumers of brand-name drugs can sue manufacturers for inadequate warnings; consumers of generic drugs cannot."<sup>57</sup> The FDA expressed similar concerns in its amicus brief to the Court, noting that generic manufacturers "argue that they enjoy a free pass accorded to virtually no other manufacturer regarding product labeling—in the field of

---

<sup>54</sup> *PLIVA v. Mensing*, 131 S. Ct. at 2577.

<sup>55</sup> *Id.* at 2592 (Sotomayor, J., dissenting).

<sup>56</sup> *Ibid.*; see also *Wyeth v. Levine*, 555 U.S. 555, 579 (2009) ("[T]he FDA long maintained that state law offers an additional, and important, layer of consumer protection that complements FDA regulation.").

<sup>57</sup> *PLIVA v. Mensing*, 131 S. Ct. at 2593 (Sotomayor, J., dissenting).

drugs or otherwise.”<sup>58</sup> In addition, the outcome is in tension with generic substitution laws, as they encourage or even require that prescriptions be filled with generic drugs when possible, but patients’ inability to hold generic manufacturers accountable for inadequate labeling (whether the inadequacy is specific to a hazard associated with that generic or applies to the drug more generally) provides incentive for patients to request the brand-name drug instead of the generic. This outcome is also directly contrary to the objective of the Hatch-Waxman Amendments.

State-law remedies “further consumer protection by motivating manufacturers to produce safe and effective drugs and to give adequate warnings.”<sup>59</sup> Today, preemption of common-law claims against generic manufactures strips a vast portion of the market of these safeguards.

## Conclusion

Too often, a serious safety hazard is not identified until years after a prescription drug comes on the market, and many prescription drugs today are marketed only in generic form. For these reasons, the FDA’s restriction on labeling revisions by generic drug manufacturers creates a gap that threatens patient health and safety.

---

<sup>58</sup> Brief for the United States as Amicus Curiae Supporting Resp’ts 26, *PLIVA, Inc. v. Mensing*, S. Ct. Nos. 09-993, 09-1039, 09-1501 (2011), at <http://bit.ly/10VniqP>.

<sup>59</sup> *Wyeth v. Levine*, 555 U.S. at 574.